

12 **EUROPEAN PATENT APPLICATION**

21 Application number: **88117348.8**

51 Int. Cl.4: **A61K 7/11**

22 Date of filing: **18.10.88**

A request for correction has been filed pursuant to Rule 88 EPC. A decision on the request will be taken during the proceedings before the Examining Division (Guidelines for Examination in the EPO, A-V, 2.2).

30 Priority: **21.10.87 JP 265991/87**

43 Date of publication of application:  
**26.04.89 Bulletin 89/17**

54 Designated Contracting States:  
**AT CH DE ES FR GB LI NL**

71 Applicant: **Kao Corporation**  
**14-10, Nihonbashi Kayabacho 1-chome**  
**Chuo-Ku Tokyo 103(JP)**

72 Inventor: **Hikichi, Tadasu**  
**No. 2218-76-2-39, Yonemoto**  
**Yachiyo-shi Chiba(JP)**  
Inventor: **Kure, Yuriko**  
**No. 3-16-1-307, Higashisuna**  
**Koto-ku Tokyo(JP)**

74 Representative: **Hansen, Bernd, Dr.rer.nat. et al**  
**Hoffmann, Eitle & Partner Patentanwälte**  
**Arabellastrasse 4 Postfach 81 04 20**  
**D-8000 München 81(DE)**

54 **Hairdressing composition.**

57 A hairdressing composition comprising:

(A) a polyoxyalkylene compound(s) obtained by addition-polymerizing a monohydric or polyhydric alcohol and an alkylene oxide;  
and

(B) crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate)

is disclosed. This hairdressing composition makes the hair moist, soft, smooth and nonsticky and has an excellent hairdressing effect.

**EP 0 312 995 A2**

## HAIRDRESSING COMPOSITION

### FIELD OF THE INVENTION

5 This invention relates to a hairdressing composition comprising polyoxyalkylene compound(s) and crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate), which makes the hair moist, soft, smooth and nonsticky and exhibits a satisfactory hairdressing effect.

### BACKGROUND OF THE INVENTION

10 There are a number of hairdressing products including hair liquids, hair creams, set lotions and hair sprays which facilitate the formation of a hairstyle or maintain the same.

These hairdressing products comprise various oils and resins. However, a hairdressing composition comprising an excessive amount of an oil shows an intense oily feel, though it has, to some extent, a hairdressing effect. On the other hand, one comprising a large amount of a resin would give a stiff hairstyle, though it has a satisfactory hairdressing effect.

20 Recently, polyoxyalkylene compounds, such as polyoxypropylene butyl ether, have been employed in hairdressing composition since they have scarcely any oily or stiff feel, as described in JP-A-243012 (The term "JP-A" as used herein means an "unexamined published Japanese patent application"). However, these compounds can not always make the hair moist and smooth nor give a soft and natural hairstyle. That is, not only the hairdressing effect of a polyoxyalkylene compound, but also the stickiness thereof increases with an increase in the degree of polymerization of the same. On the other hand, not only the stickiness, but also the hairdressing effect thereof decreases with a decrease in the degree of polymerization thereof. Thus, the degree of polymerization of a polyoxyalkylene compound is to be selected by taking into consideration a balance between the hairdressing effect and stickiness. Accordingly, it has been required to enhance the hairdressing effect of a hairdressing composition without increasing the stickiness of the same.

### SUMMARY OF THE INVENTION

35 Under these circumstances, the present inventors have attempted to improve the above-described disadvantages of polyoxyalkylene compounds. As a result, it has been found in the present invention that a hairdressing composition which has an improved hairdressing effect and makes the hair moist, soft, smooth and nonsticky can be obtained by blending polyoxyalkylene compound(s) with crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate).

40 Accordingly, the present invention relates to a hairdressing composition which comprises:

(A) a polyoxyalkylene compound(s) obtained by addition-polymerizing a monohydric or polyhydric alcohol and an alkylene oxide; and

(B) crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate).

### DETAILED DESCRIPTION OF THE INVENTION


50 Examples of the component (A), i.e., the polyoxyalkylene compound(s), used in the hairdressing composition of the present invention include those obtained by addition-polymerizing an aliphatic monohydric alcohol such as methanol, ethanol, butanol, octanol or lauryl alcohol, or a polyhydric alcohol such as propylene glycol, glycerol, 2-ethyl-2-hydroxymethyl-1,3-propanediol, mannitol or sorbitol, and an alkylene oxide. Examples of the alkylene oxide are those having 1 to 5 carbon atoms, preferably 2 to 4 carbon

atoms, and specific examples thereof include ethylene oxide, propylene oxide, butylene oxide, etc. Among these alkylene oxides, propylene oxide, and a mixture of ethylene oxide and propylene oxide are preferable, and the former is still preferable. When a mixture of ethylene oxide and propylene oxide is used, it is preferable that the number of moles of the added ethylene oxide is 1/3 or less, preferably 1/4 or less, of the total added moles and that the components are block-polymerized. The total number of moles of the added alkylene oxide(s) is 2 to 100, preferably 6 to 100, still preferably 8 to 50.


Particularly preferred examples of the polyalkylene compound are those represented by general formulae (I) to (VI):




wherein  $\text{R}_1$  represents an alkyl group having 1 to 22 carbon atoms, preferably 2 to 10 carbon atoms, and the average number of moles of the added propylene oxide ( $x$ ) ranges from 10 to 100, preferably 10 to 50;



wherein the average number of moles of the added propylene oxide ( $a+b$ ) ranges from 2 to 100, preferably 2 to 50;




wherein the average number of moles of the added propylene oxide ( $c+d+e$ ) ranges from 3 to 100, preferably 3 to 50;



wherein the average number of moles of the added propylene oxide ( $f+g+h+i+j+k$ ) ranges from 2 to 100, preferably 2 to 50;

$\text{R}_1(\text{EO})_m(\text{PO})_n\text{H}$  (V)

wherein  $\text{R}_1$  represents an alkyl group having 3 to 5 carbon atoms, EO represents ethylene oxide, PO represents propylene oxide, and the average number of moles of the added ethylene oxide and propylene oxide ( $m+n$ ) ranges from 10 to 100, preferably 10 to 50; and



wherein  $\text{R}_2$  represents a hydrogen atom or an alkyl group having 1 to 4 carbon atoms, EO represents ethylene oxide, PO represents propylene oxide, and the average number of moles of the added ethylene oxide and propylene oxide ( $m_1+n_1+m_2+n_2+m_3+n_3$ ) ranges from 3 to 100, preferably 3 to 50.

Among these polyalkylene compounds, the compound represented by the general formula (IV) is particularly preferred.

Although the content of component (A) in the hairdressing composition of the present invention varies depending on the type of the hairdressing, it preferably ranges from 0.1 to 50%, preferably 3 to 30% (by weight, the same will apply hereinafter), based on the total weight of the composition.

Component (B) used in the hairdressing composition of the present invention, i.e., the crosslinked poly-(acrylic acid/2,3-dihydroxypropyl acrylate) and crosslinked poly(acrylic acid/2-hydroxypropyl acrylate), may be obtained respectively by 2,3-dihydroxypropyl-esterifying and 2-hydroxypropylesterifying a carboxyl group in a side chain of crosslinked polyacrylic acid as described, for example, in JP-A-61-72706. The degree of the esterification, which is represented by a ratio (mol%) of the esterified carboxyl group per the carboxyl group in a side chain of the crosslinked polyacrylic acid, preferably ranges from 1 to 50%. The crosslinked polyacrylic acid may be obtained by polymerizing acrylic acid and a crosslinking agent in an organic solvent such as benzene. As the crosslinking agent, a monomer containing two or more vinyl group may be employed. Specific examples of the crosslinking agent include divinylbenzene, ethylene glycol

diacrylate, ethylene glycol dimethacrylate, trimethylol propane acrylate. In order to obtain a hairdressing composition showing a nonsticky and refreshing feel upon use, it is preferable to use the crosslinking agent within a range of 0.01 to 10% none preferably 0.1 to 5%, based on 100% by weight of a monofunctional monomer.

5 In order to obtain a hairdressing having an excellent moistening effect, it is preferable that the molar ratio of the acrylic acid unit to the 2,3-dihydroxypropyl acrylate or 2-hydroxypropyl acrylate unit in the crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate) ranges from 99.5 - 30 : 0.5 - 70, more preferably from 99 - 50 : 1 - 50.

10 The crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate) may be incorporated into the hairdressing composition within a range of 0.01 to 10%, preferably 0.1 to 3%, based on the total weight of the hairdressing composition.

The hairdressing composition according to the present invention can be produced, for example, by the following procedure.

15 Component (A), component (B), an aqueous component, and water are mixed at a temperature of about 10 to 80 °C to prepare a composition I. Separately, an oil component and an emulsifying agent are added to the water heated to 30 to 80 °C to prepare an emulsion II. The obtained emulsion II is gradually added to the obtained composition I under stirring. After cooling to a room temperature (15 to 25 °C), a component having a low heat stability such as a lower alcohol, a perfume, etc. is added thereto to obtain a hairdressing composition as a desired product.

20 The hairdressing composition of the present invention may be formulated into various forms including a hair liquid, a hair cream, a set lotion and a hair spray by blending the essential components (A) and (B), optionally together with various additives as will be described hereinafter, with a solvent such as water, a lower alcohol or a water/lower alcohol mixture in a conventional manner. When it is to be formulated into an aerosol, it is preferable to use a propellant selected from among chlorofluoroalkane propellants, such as  
25 chlorofluoroalkane propellants including trichloromonofluoromethane, dichlorodifluoromethane and dichlorotetrafluoroethane, liquified petroleum gas, dimethyl ether and mixtures thereof. This propellant is preferably incorporated in such a manner as to give an internal pressure within an aerosol can of 2.0 to 4.0 kg/m<sup>2</sup>·G. A mist-type aerosol hairdressing composition may preferably contain 50 to 80% or more of the propellant, while a foam-type aerosol hairdressing composition may preferably contain 10 to 30% or less of  
30 the same.

In addition to the above-mentioned essential components, the hairdressing composition of the present invention may further contain various cosmetic fats and oils selected from among, for example, glycerides such as castor oil, cacao oil, mink oil, avocado oil and olive oil; waxes such as beeswax, sperm whale, lanolin and carnauba wax; alcohols such as cetyl alcohol, oleyl alcohol, lauryl alcohol, stearyl alcohol,  
35 propylene glycol, polypropylene glycol and glycerol; esters such as isopropyl myristate, hexyl laurate, cetyl lactate, propylene glycol monostearate, oleyl oleate, hexadecyl 2-ethylhexanoate and octyldodecyl myristate; and silicone derivatives such as dimethyl polysiloxane, methylphenyl polysiloxane, polyether-denatured silicone oil, epoxy-denatured silicone oil, amino-denatured silicone oil and alkyl-denatured silicone oils, so long as the effects of the present invention are not inhibited thereby. The hairdressing  
40 composition of the present invention may further contain an emulsifier to thereby stabilize the emulsification. In addition, it may further contain a perfume and/or a colorant to thereby elevate the commercial value. Furthermore, it may contain a preservative or an antioxidant to thereby prevent deterioration of the composition upon storage.

45 As described above, the present invention enables one to obtain an excellent hairdressing, which has a high hairdressing effect and makes the hair moist, soft, smooth and nonsticky, by blending the above-mentioned components (A) and (B).

The present invention is now illustrated in greater detail with reference to Examples, but it should be understood that the present invention is not deemed to be limited thereto. In these Examples, the properties of each hairdressing product were evaluated in the following manner.

50

#### (1) Hairdressing effect:

55 A bundle of hair weighing 4 g was moistened with water and 1 ml of hairdressing composition was applied thereon. After combing and drying with a hot air stream for 30 minutes, the condition of the hair bundle was evaluated according to the following criterion.

o : the hair bundle was neatly dressed, suggesting that the hairdressing effect was high; and  
x : the hair was disheveled, suggesting that the hair-dressing effect was poor.

## (2) Stickiness and moistness:

A bundle of hair treated in the same manner as the one described in (1) was organoleptically evaluated by ten experienced panelists according to the following criterion.

The results were expressed in the means of the panelists.

+2 : very good,

+1 : good,

0 : moderate,

-1 : poor, and

-2 : very poor.

EXAMPLE 1

Hairdressings of the following compositions were prepared, and the hairdressing effect, stickiness and moistness of each product were evaluated.

The results are shown in Table 1 below.

Composition	Amount(%)
polyoxypropylene glyceryl ether (in formula (III), c + d + e is 15)	0 or 3.0
crosslinked poly(acrylic acid/2,3-di-hydroxypropyl acrylate) (degree of esterification: 5%)	see Table 1
95% (v/v) ethanol	5.0
water	balance
Total	100.0

Table 1

Composition (%)		Evaluation		
Polyoxypropylene glyceryl ether	Crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate)	Hairdressing effect	Stickiness	Moistness
Invention				
3.0	0.05	o	+1.2	+1.2
3.0	0.50	o	+1.6	+1.8
3.0	1.00	o	+1.8	+1.8
Composition				
3.0	0	x	-1.0	-1.4
-	1.00	x	-0.6	+0.4

EXAMPLE 2

Hairdressing of the following composition were prepared, and the hairdressing effect, stickiness and moistness of each product were evaluated.

The results are shown in Table 2 below.

Composition	Amount (%)
polyoxypropylene compound	5.0
crosslinked poly(acrylic acid/2-hydroxypropyl acrylate) (degree of esterification: 8.5%)	0 or 0.5
polyoxyethylene (20) lauryl ether	0.5
95% (v/v) ethanol	5.0
water	balance
Total	100.0

Table 2

Composition (%)	Invention			Comparison		
polyoxypropylene glycol ether (in formula (II), $a + b = 6$ )	5.0	-	-	5.0	-	-
polyoxypropylene glyceryl ether (in formula (III), $c + d + e = 18$ )	-	5.0	-	-	5.0	-
polyoxypropylene sorbitol ether (in formula (IV), $f + g + h + i + j + k = 10$ )	-	-	5.0	-	-	5.0
crosslinked poly(acrylic acid/2-hydroxypropyl acrylate)	0.5	0.5	0.5	-	-	-
Evaluation						
Hairdressing effect	o	o	o	x	x	x
Stickiness	+1.2	+1.0	+1.6	-1.1	-1.3	-0.9
Moistness	+1.2	+1.2	+1.8	-1.2	-1.2	-1.4

EXAMPLE 3

Hairdressings of the following composition were prepared, and the hairdressing effect, stickiness and moistness of each product were evaluated.

The results are shown in Table 3 below.

Composition	Amount (%)
polyoxypropylene sorbitol ether (in formula (IV), $f + g + h + i + j + k = 9$ )	0 or 10.0
crosslinked poly(acrylic acid/2-hydroxypropyl acrylate) (degree of esterification: 8.5%)	0 or 0.5
Softanol 90	1.0
perfume	0.5
95% (v/v) ethanol	5.0
water	balance
Total	100.0

Table 3

Composition (%)	Invention		Comparison	
polyoxypropylene sorbitol ether	10.0	-	10.0	-
crosslinked poly(acrylic acid/2-hydroxypropyl acrylate)	5.0	5.0	-	-
Evaluation				
Hairdressing effect	o	x	x	x
Stickiness	+1.2	-1.0	-1.6	-1.6
Moistness	+1.8	+0.6	-1.2	-1.2

From the results shown in Tables 1 to 3, it can be seen that the hairdressing composition comprising component (A) and component (B) according to the present invention has a high hairdressing effect and makes the hair moist, soft, smooth and nonsticky.

While the invention has been described in detail and with reference to specific embodiments thereof, it will be apparent to one skilled in the art that various changes and modifications can be made therein without departing from the spirit and scope thereof.

## Claims

1. A hairdressing composition comprising:

(A) a polyoxyalkylene compound(s) obtained by addition-polymerizing a monohydric or polyhydric alcohol and an alkylene oxide; and

(B) crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate).

2. The hairdressing composition as claimed in Claim 1, wherein said monohydric alcohol is selected from the group consisting of methanol, ethanol, butanol, octanol, and lauryl alcohol and said polyhydric alcohol is selected from the group consisting of propylene glycol, glycerol, 2-ethyl-2-hydroxymethyl-1,3-propanediol, mannitol and sorbitol.

3. The hairdressing composition as claimed in Claim 1, wherein said alkylene oxide has 1 to 5 carbon atoms.

4. The hairdressing composition as claimed in Claim 1, wherein said component (A) is employed in an amount of from 0.1 to 50% by weight based upon the total weight of the composition.

5. The hairdressing composition as claimed in Claim 1, wherein said component (B) is employed in an amount of from 0.01 to 10% by weight based upon the total weight of the composition.

6. The hairdressing composition as claimed in Claim 1, wherein the molar ratio of the acrylic acid unit to the 2,3-dihydroxypropyl acrylate or 2-hydroxypropyl acrylate unit in the crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and the crosslinked poly(acrylic acid/2-hydroxypropyl acrylate), respectively, ranges from 99.5 - 30 : 0.5 - 70.

7. The hairdressing composition as claimed in Claim 6, wherein the molar ratio of the acrylic acid unit to the 2,3-dihydroxypropyl acrylate or 2-hydroxypropyl acrylate unit in the crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and the crosslinked poly(acrylic acid/2-hydroxypropyl acrylate), respectively, ranges from 99 - 50 : 1 - 50.



①⑫

**EUROPEAN PATENT APPLICATION**

②① Application number: **88117348.8**

⑤① Int. Cl.4: **A 61 K 7/11**

②② Date of filing: **18.10.88**

③⑩ Priority: **21.10.87 JP 265991/87**

④③ Date of publication of application:  
**26.04.89 Bulletin 89/17**

⑧④ Designated Contracting States:  
**AT CH DE ES FR GB LI NL**

⑧⑧ Date of deferred publication of search report:  
**26.07.89 Bulletin 89/30**

⑦① Applicant: **KAO CORPORATION**  
**14-10, Nihonbashi Kayaba-cho 1-chome**  
**Chuo-ku Tokyo (JP)**

⑦② Inventor: **Hikichi, Tadasu**  
**No. 2218-76-2-39, Yonemoto**  
**Yachiyo-shi Chiba (JP)**

**Kure, Yuriko**  
**No. 3-16-1-307, Higashisuna**  
**Koto-ku Tokyo (JP)**

⑦④ Representative: **Hansen, Bernd, Dr.rer.nat. et al**  
**Hoffmann, Eitle & Partner Patentanwälte Arabellastrasse**  
**4 Postfach 81 04 20**  
**D-8000 München 81 (DE)**

⑤④ **Hairdressing composition.**

⑤⑦ A hairdressing composition comprising:  
(A) a polyoxyalkylene compound(s) obtained by addition-polymerizing a monohydric or polyhydric alcohol and an alkylene oxide;  
and  
(B) crosslinked poly(acrylic acid/2,3-dihydroxypropyl acrylate) and/or crosslinked poly(acrylic acid/2-hydroxypropyl acrylate) is disclosed. This hairdressing composition makes the hair moist, soft, smooth and nonsticky and has an excellent hairdressing effect.

**EP 0 312 995 A3**



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number

EP 88 11 7348

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 4)
Y	DE-A-3 212 861 (KAO SOAP CO. LTD) * Whole document *	1-7	A 61 K 7/11
Y, D	PATENT ABSTRACTS OF JAPAN, vol. 10, no. 239 (C-367)[2295], 19th August 1986; & JP-A-61 72 706 (SHOWA DENKO K.K.) 14-04-1986 * Abstract *	1-7	
A, D	EP-A-0 168 574 (KAO CORP.) * Whole document * & JP-A-60 243 012 (Cat.D)	1-7	
A	PATENT ABSTRACTS OF JAPAN, vol. 1, no. 91 (C-23), 24th August 1977, page 1916 C 77; & JP-A-52 51 035 (SHISEIDO K.K.) 23-04-1977 * Abstract *	1-7	
			TECHNICAL FIELDS SEARCHED (Int. Cl. 4)
			A 61 K
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 03-05-1989	Examiner MUELLNERS W.
<b>CATEGORY OF CITED DOCUMENTS</b> X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P0401)